



BIDDLE INC

**H
O
T
&
T
A
P
L
I
N
E
S
T
O
P**

SERVICES






HOT TAP LINE STOP


Since 1992 BIDDLE provides various services in the Oil & Gas Industry.

In the 3 years ago more than 100 Hot Tapping and Line Stopping have been made for different customers and in different conditions.

Our capacity allows us to perform Hot Tap and Line Stop processes from 2" to 48" on various material pipelines & vessels.



Hot Tap





Hot Tap

HANDLY DRILL RIG

4 Model : HTM100
Brand : MIRAGE
Diameter: 1/2 to 4 in.
Stroke : 18 in.
Max. pressure : 1480 psi

2 Model : HTM150XL
Brand : MIRAGE
Diameter: 1/2 to 6 in.
Stroke : 32 in.
Max pressure : 1480 psi





Hot Tap

HYDRAULIC DRILL RIG

4 Model : MHT 824
Brand : MIRAGE
Diameter : 8 to 24 in.
Stroke : 80 in.
Max. pressure : 1480 psi



Hot Tap

HYDRAULIC DRILL RIG

2 Model: MHT 1236
Brand: MIRAGE
Diameter: 12 to 36 in.
Stroke: 110 in.
Max. pressure: 1480 psi





Hot Tap

HYDRAULIC DRILL RIG

2 Model:	CHT 3000
Brand:	MIRAGE
Diameter:	12 to 48 in.
Stroke:	150 in.
Max. pressure:	5000 psi



Line Stop



Line Stop

HYDRAULIC ACTUATOR

8 Model : SERIES 2
Brand : BURTECH
Diameter : 8 to 24 in.
Stroke : 78 in.
Max. pressure : 1480 psi



Line Stop

HYDRAULIC ACTUATOR

- 4 Model : SERIES 3
- Brand : BURTECH
- Diameter : 24 to 48 in.
- Stroke : 110 in.
- Max. pressure : 1480 psi





Special Tools

HYDRAULIC AND HANDLY SANDWICH VALVES.

PIPELINE HYDRAULIC CUTTING ORBITAL MACHINE.

DEGAUSSING MACHINE.

HYDRAULIC TORQUE WRENCH.

QUALITY CONTROL TOOLS .



INSTALLATION SERVICE OF 19 REMOTE CONTROL LINE BREAK ESD VALVES IN THE NORPERUANO PIPELINE



38 HOT TAP 2 in.
16 HOT TAP 16 in.
10 HOT TAP 24 in.
12 HOT TAP 36 in.

8 DOUBLE LINE STOP 16 in.
5 DOUBLE LINE STOP 24 in.
6 DOUBLE LINE STOP 36 in.

LEAD TIME
10 MONTHS



BIDDLE inc